

Technical Data

Aalmarktzaal

Januari 2023



Public entrance

Aalmarktzaal: Breestraat 60, 2311 CS Leiden

Artists entrance

Artists entrance and loading bay are located at Aalmarkt 7 in Leiden.

Be aware with your navigation software. Please enter Apotheekersdijk 38 as your destination. Once there, cross the bridge on your righthandside (Kippenbrug) and then turn left. After 30 meters you are on our doorstep.

The loading bay is behind the door shaded red in the drawing below. Inside our loading bay there is room for one megatrailer at maximum.



We have one parking permit for outside in front of our loading bay, this is only for a truck. The loading bay can not be used for parking passenger cars.

Artists Entrance: Mon thru Fri from 10:00-17:30 you can also use the public entrance at Breestraat 60 in Leiden (note: not accessible by car). From 17:30 and on weekends use Aalmarkt 7, 2311 EC in Leiden.

Parking

There is a possibility to park at the Haagweg. <http://stadsparkerplan.com/> You can buy your ticket in the Stadsgehoorzaal at the bar €8,-

Getting Technical Support

Please send your technical riders to info@leidseschouwburg-stadsgehoorzaal.nl. We make sure that they get to the right person. When you have any last minute questions or changes please call us during office hours on [+3171 516 2400](tel:+31715162400). Outside office hours, please call the technical department at [+3171 516 3870](tel:+31715163870).

Stage dimensions

Stage height	9,5 m
Stage width	11,75 m (without stage masking)
Height stage opening	6 m
Stage depth	6,5 m

Lights

Control desk		ETC ion
	8	ETC source four revolutions, moving heads in the FOH, with 3 PC spots on the left and right side of the balcony (see lighting plot for details)
The houselights are DMX controllable		
Dimmer channels	16	Dimmerconnections stage right with harting 16 connector Type ETC 2,3kw sine wave dimmers
Fixtures	4	ETC source four PAR 750w
	4	six-bar PAR 64 medium 1000w
	2	Robert Juliat 310H PC 1000w
	8	Robert Juliat 614 SX profile 16/350
Follow spot		Strand Solo CSI 1000W

Power

16	Amps	2x 230V
32	Amps	CEE form 1x 400V (3 phase)
125	Amps	CEE form 1x 400V (3 phase)

Sound

Mixing desk	1	M32R live
P.A.		Renkus Heinz IC-live Cobraweb systemprocessing
Monitor wedges	4	RH PF 1-200 active monitor speakers
Microphones	6	Shure KSM 137
	4	Shure SM 58
	4	Shure SM 58 beta
	3	Shure SM 57 beta
	4	Active DI's
Sources	1	Cd player
	1	Tc electronic m-one effect processor
	2	XTA electronic 2 channel 27 band graphic EQ
		DBX 1046 quad compressor / limiter + XTA electronic EQ
Multicables	1	Fixed lines between stage right and F.O.H 36/4

Video

For any questions concerning video feel free to contact our technical team by sending an email to info@leideschouwburg-stadsgehoorzaal.nl or by calling +3171-5162400 and asking for the technical department.

Intercom

ASL with 2 head-set units - (backstage and FOH)

Flybar facilities

Controls		Handheld on the stage, not suitable for programming scenes or movements
Flybars	5	Length 8 meters Max load 300 KG per flybar

Stage masking

Legs	3	Sets dark blue
Borders	1	Set dark blue
Backdrop	1	Set dark blue
Horizon / cyclorama		None
Gauze		None
Curtain		None

Miscellaneous

Dressing rooms	3	With toilet and shower facilities
Music stands	10	With lighting
Chairs	10	Orchestra chairs (without armrests)
Risers	10	1 x 1,5 meters (leg height @ 0,20/0,40/0,6/0,8/1,0 meters)
Grand piano	1	Steinway & Sons D grand piano