

# Technical Data

## Stadsgehoorzaal - Grote Zaal

September 2025



## Public Entrance Stadsgehoorzaal

Breestraat 60, 2311 CS Leiden

## Artist entrance

Artist entrance and loading bay are located at Aalmarkt 7 in Leiden.

**Be aware when using navigation software!** Enter Apothekeersdijk 38 as your destination. At arrival, go over the bridge on the right hand side (Kippenbrug) and turn left. After 30 meters you have arrived at our doorstep. Find the loading bay at the door that's coloured red in the picture below. Inside our loading bay there is room for one megatrailer at maximum.



We have one parking permit for the street in front of our loading bay, meant only for a truck. The loading bay cannot be used to park passenger vehicles.

Mon through Fri from 9.00 - 18.00 You can also use the public entrance at Breestraat 60 Leiden (note: not accessible by car). From 18:00 and on weekends use the artist's entrance Aalmarkt 7, 2311 EC in Leiden.

## Parking

It is not possible to park passenger vehicles at Stadsgehoorzaal. We advise you to park at Parking Haagweg. There you can take a shuttle to our doorstep as well as back to the parking. You can purchase a parking ticket for €9 at our register. See <http://stadsparkerplan.com/> for more information. The alternative is parking in one of the limited places along the canal (Boommarkt) for a dayrate of €25.

## Getting Technical Support

Please send your technical riders to [info@leidseschouwburg-stadsgehoorzaal.nl](mailto:info@leidseschouwburg-stadsgehoorzaal.nl). We make sure that they get to the right person. For last minute questions or changes please call us during office hours on [+3171 516 2400](tel:+31715162400). Outside office hours, please call the technical department at [+3171-5163870](tel:+3171-5163870)

## Stage dimensions

Stage height	16 m
Stage width (downstage)	15 m
Stage width (upstage)	8,5 m
Stage elevator width (downstage)	14 m
Stage elevator depth (downstage)	2,12 m
Stage depth	7,65 m

## Lights

Control desk	2	ETC ion en puk op toneel
Connections		Fiber, Sacn, Vlan Toolbox
Dimmer channels	24	Dimmerconnections stage right Type ADB Twintech 3kw
Fixtures	2	Six-bar PAR 64 medium 1000w
	12	JB P15
	16	JB Sparx 9
	12	JB Sparx 18
	4	Chauvet Blinder Strike array 2
	24	Juno
Follow spot	1	Robert juliat, VICTOR 1159 7/14,50 1800W

## Power

63	Amps	CEE form 1x 400V
32	Amps	CEE form 1x 400V

## Sound

Mixing desk	1	Midag m32r/ midas DL-32
P.A.	20	Left and Right (Flown in fixed construction) Meyer Leopard Line Array (10 per side)  Front Fill 2 x Meyer Ultra-X40 (110* x 50*)
sub	4	Meyer 900-LFC Sub Cabinet (2 per side)
Processing		Galileo Galaxy 816
Monitor wedges	4	RCF NX 12-SMA
	2	RCF NX 15-SMA
Microphones	3	Shure KSM 137
	2	Shure SM 58
	2	Shure SM 58 beta
	3	Shure SM 57 beta
	5	Active DI's
	2	Sennheiser E 845
	3	Sennheiser E604
	1	Neumann KM-184 Stereo set
Power	1	400V/32A stage left

## Video

For any questions concerning video projection feel free to contact our technical team by sending an email to [info@leidseschouwburg-stadsgehoorzaal.nl](mailto:info@leidseschouwburg-stadsgehoorzaal.nl) or by calling +3171-5162400 and asking for the technical department

## Intercom

Clearcom ASL with 2 head-set units

## Flybar facilities

Controls	DTS-2 control	On the stage, not suitable for programming scenes or movements
Flybars	15	Length varies between 12,5m (downstage) and 7,5m (upstage). Max load 300 KG per flybar
	2	Flybars left and right on stage (only for masking)
	1	Flybar in auditorium near stage edge max load 500 KG

## Stage masking

Legs	4	Sets dark blue
Borders	3	Dark blue
Backdrop	1	Dark blue
Curtain	1	Rood
Horizon / cyclorama		none
Gauze		none

## Miscellaneous

Dressing rooms	6	With toilet and shower facilities
Music stands	70	No lights
Chairs	80	Orchestra chairs (without armrests)
Risers Wood	30	1 x 1,5 meters (leg height @ 0,20/0,40/0,6/0,8/1,0 meters)
Risers Black	10	1 x 2 meters
Grand piano	1	Steinway & Sons D grand piano
Grand piano	1	Yamaha C7

